

醫療財團法人台灣血液基金會台中捐血中心

血液成品 QC 測試報告

製備場所：成分課

測試月份：108 年 1 月

Components		Test	No of tested /No of prepared	Test Result		Target Value
				Mean	SD	
紅血球類	Packed RBCs	Hct	35/20,693	66	5.4	55-80% w/o SAGM
			NA	NA	NA	50-70% w. SAGM
	Leukocyte Reduced RBCs	leukocyte count ($\times 10^6$ /unit)	32/29,810	0.044	0.02	$< 5 \times 10^6$ /unit
血小板類	Platelet Concentrate	platelet count ($\times 10^{10}$ /unit)	24/644	5.5	1	$\geq 2.75 \times 10^{10}$ /unit
		pH	24/644	7.1	0.25	≥ 6.2
	Apheresis Platelets	platelet count ($\times 10^{11}$ /unit)	6/294	3.8	0.41	$\geq 3.0 \times 10^{11}$ /unit
		pH	6/294	7.5	0.069	≥ 6.2
	Leukocyte Reduced Apheresis Platelets	leukocyte count ($\times 10^6$ /unit)	30/3,980	0.13	0.11	$< 5 \times 10^6$ /unit
		platelet count ($\times 10^{11}$ /unit)	30/3,980	3.5	0.3	$\geq 3.0 \times 10^{11}$ /unit
		pH	30/3,980	7.5	0.05	≥ 6.2
血漿類	FFP	Factor VIII	13/29,080	104	50	$\geq 70\%$
		RBC count ($\times 10^9$ /L)	33/29,080	0.27	0.16	$< 6.0 \times 10^9$ /L
		leukocyte count ($\times 10^9$ /L)	33/29,080	0.02	0.02	$< 0.1 \times 10^9$ /L
		platelet count ($\times 10^9$ /L)	33/29,080	20	8.4	$< 50 \times 10^9$ /L
	Cryo	factor VIII	12/5,100	71		≥ 40 IU /unit
		fibrinogen	12/5,100	230		≥ 75 mg /unit

備註：Factor VIII、fibrinogen 測試頻率為每 2 個月執行。

表 QP-BB-032-6.7-001