

醫療財團法人台灣血液基金會台中捐血中心

血液成品 QC 測試報告

製備場所：成分課

測試月份：113 年 11 月

Components		Test	No of tested /No of prepared	Test Result		Target Value
				Mean	SD	
紅 血 球 類	Packed RBCs	Hct	NA	NA	NA	55-80% w/o SAGM
			NA	NA	NA	50-70% w. SAGM
	Leukocyte Reduced RBCs	leukocyte count ( $\times 10^6$ /unit)	54/49,502	0.62	0.33	$< 5 \times 10^6$ /unit
血 小 板 類	Platelet Concentrate	platelet count ( $\times 10^{10}$ /unit)	12/116	3.5	0.59	$\geq 2.75 \times 10^{10}$ /unit
		pH	12/116	7.2	0.15	$\geq 6.2$
	Apheresis Platelets	platelet count ( $\times 10^{11}$ /unit)	6/401	3.3	0.14	$\geq 3.0 \times 10^{11}$ /unit
		pH	6/401	7.5	0.056	$\geq 6.2$
	Leukocyte Reduced Apheresis Platelets	leukocyte count ( $\times 10^6$ /unit)	32/5,178	0.45	0.36	$< 5 \times 10^6$ /unit
		platelet count ( $\times 10^{11}$ /unit)	32/5,178	3.3	0.22	$\geq 3.0 \times 10^{11}$ /unit
pH		32/5,178	7.3	0.088	$\geq 6.2$	
血 漿 類	FFP	Factor VIII	13/19,645	101	27	$\geq 70\%$
		RBC count ( $\times 10^9$ /L)	38/19,645	0.17	0.16	$< 6.0 \times 10^9$ /L
		leukocyte count ( $\times 10^9$ /L)	38/19,645	0.0012	0.0026	$< 0.1 \times 10^9$ /L
		platelet count ( $\times 10^9$ /L)	38/19,645	3.1	6.3	$< 50 \times 10^9$ /L
	Cryo	factor VIII	12/9,116	94		$\geq 40$ IU /unit
		fibrinogen	12/9,116	241	27	$\geq 75$ mg /unit

備註：Factor VIII、Fibrinogen 測試頻率為每 2 個月執行。

表 QP-BB-032-6.7-001