

醫療財團法人台灣血液基金會台中捐血中心

血液成品 QC 測試報告

製備場所：成分課

測試月份：113 年 12 月

Components		Test	No of tested /No of prepared	Test Result		Target Value
				Mean	SD	
紅 血 球 類	Packed RBCs	Hct	NA	NA	NA	55-80% w/o SAGM
			NA	NA	NA	50-70% w. SAGM
	Leukocyte Reduced RBCs	leukocyte count ( $\times 10^6$ /unit)	56/48,269	0.5	0.36	$< 5 \times 10^6$ /unit
血 小 板 類	Platelet Concentrate	platelet count ( $\times 10^{10}$ /unit)	24/166	4.5	0.99	$\geq 2.75 \times 10^{10}$ /unit
		pH	24/166	7	0.24	$\geq 6.2$
	Apheresis Platelets	platelet count ( $\times 10^{11}$ /unit)	6/393	3.5	0.41	$\geq 3.0 \times 10^{11}$ /unit
		pH	6/393	7.3	0.043	$\geq 6.2$
	Leukocyte Reduced Apheresis Platelets	leukocyte count ( $\times 10^6$ /unit)	30/5,110	0.4	0.24	$< 5 \times 10^6$ /unit
		platelet count ( $\times 10^{11}$ /unit)	30/5,110	3.4	0.24	$\geq 3.0 \times 10^{11}$ /unit
		pH	30/5,110	7.3	0.14	$\geq 6.2$
	血 漿 類	FFP	Factor VIII	/	/	/
RBC count ( $\times 10^9$ /L)			38/15,040	0.22	0.26	$< 6.0 \times 10^9$ /L
leukocyte count ( $\times 10^9$ /L)			38/15,040	0.0003	0.00046	$< 0.1 \times 10^9$ /L
platelet count ( $\times 10^9$ /L)			38/15,040	2.1	4.4	$< 50 \times 10^9$ /L
Cryo		factor VIII	/	/	/	$\geq 40$ IU /unit
		fibrinogen	/	/	/	$\geq 75$ mg /unit

備註：Factor VIII、Fibrinogen 測試頻率為每 2 個月執行。

表 QP-BB-032-6.7-001